


IN THE CLAIMS

Please amend the claims as follows:


Claim 1 (Currently Amended): A thermoplastic resin composition comprising:

(A) 0.5 to 99.9 mass % of an aromatic polycarbonate-polyorganosiloxane copolymer having a terminal group represented by the following general formula (1):



wherein R¹ represents an alkyl group having 1 to 35 carbon atoms and a is an integer of 0 to 5;

(B) 0 to 99.5 mass % of an aromatic polycarbonate having a terminal group represented by the following general formula (2):



wherein R² represents an alkyl group having 1 to 35 carbon atoms and b is an integer of 0 to 5;

(C) 0.1 to 5 mass % of fine silica; and

(D) 0 to 2 mass % of a polytetrafluoroethylene, ~~which are compounded together.~~

Claim 2 (Currently Amended): The thermoplastic resin composition as ~~defined~~ claimed in claim 1, wherein the said aromatic polycarbonate-polyorganosiloxane copolymer of component (A) has a polyorganosiloxane moiety having a polydimethylsiloxane skeleton.

Claim 3 (Currently Amended): The thermoplastic resin composition as ~~defined~~ claimed in claim 1 ~~or 2~~, wherein the said aromatic polycarbonate-polyorganosiloxane

copolymer of component (A) ~~contains~~ comprises a polyorganosiloxane moiety in an amount of 0.1 to 4 mass % based on ~~the whole~~ said thermoplastic resin composition.

Claim 4 (Currently Amended): The thermoplastic resin composition as ~~defined~~ claimed in ~~any one of claims 1 through 3~~ claim 1, wherein the said fine silica of component (C) has an average particle diameter of 50 nm or less.

Claim 5 (Currently Amended): The thermoplastic resin composition as ~~defined~~ claimed in ~~any one of claims 1 through 4~~ claim 1, wherein the said fine silica of component (C) is dispersed in a solvent.

Claim 6 (Currently Amended): A molded article comprising a thermoplastic resin composition as ~~defined~~ claimed in ~~any one of claims 1 through 5~~ claim 1.

Claim 7 (New): A thermoplastic resin produced by the process comprising:
compounding

A) 0.5 to 99.9 mass % of said aromatic polycarbonate-polyorganosiloxane copolymer having a terminal group represented by formula (1)

B) 0 to 99.5 mass % of said aromatic polycarbonate having a terminal group represented by formula (2)

C) 0.1 to 5 mass % of said fine silica

D) 0 to 2 mass % of said polytetrafluoroethylene

to obtain said thermoplastic resin composition.

Claim 8 (New): A method of producing a thermoplastic resin composition, said method comprising:

compounding

A) 0.5 to 99.9 mass % of said aromatic polycarbonate-polyorganosiloxane copolymer having a terminal group represented by formula (1)

B) 0 to 99.5 mass % of said aromatic polycarbonate having a terminal group represented by formula (2)

C) 0.1 to 5 mass % of said fine silica

D) 0 to 2 mass % of said polytetrafluoroethylene

to obtain said thermoplastic resin composition.